

Botanical Name	Common Name	Plant Features	Structural Type	Fire Rating
Acacia dealbata	Silver Wattle	Fast growing. Yellow flowers, late winter. Silvery foliage. Good for erosion control.	Tree (10m+)	Retardant
Acacia longifolia ssp. sophorae	Coast Wattle	Fast growing. Yellow flowers, spring. Salt-tolerant coloniser.	Tall Shrub (2-5m+)	Retardant
Acacia mearnsii	Black Wattle	Fast growing. Pale yellow flowers, spring. Excellent firewood.	Tree (10m+)	Retardant
Acacia melanoxylon	Blackwood	Long-lived. Pale yellow flowers, spring. Good shade tree.	Tree (10m+)	Retardant
Acacia mucronata	Narrow-leaf Wattle	Spreading or erect shrub or small tree with long, thin phyllodes (leaves). Cream to yellow flower spikes. Good screen if pruned.	Tall Shrub (2-5m+)	Retardant
Acacia myrtifolia	Myrtle Wattle	Compact habit. Yellow flowers, late winter. Tolerates poor soil.	Low Shrub (<2m)	
Acacia paradoxa	Hedge Wattle	Prickly shrub. Bright yellow flowers, spring. Good screen or windbreak. Refuge for small birds	Tall Shrub (2-5m+)	
Acacia stricta	Hop Wattle	Coloniser. Pale yellow flowers, winter-spring. Good screen.	Tall Shrub (2-5m+)	
Acacia suaveolens Acacia verticillata ssp. verticillata	Sweet Wattle Prickly Moses	Spreading habit. Perfumed cream flowers, winter-spring. Prickly, tough plant. Yellow flowers, spring. Refuge for small birds.	Low Shrub (<2m) Tall Shrub (2-5m+)	Retardant
Acaena novae-zelandiae	Bidgee Widgee	Matting ground cover. Flowers are followed by burrs.	Herbs/Lilies	
Acaena x ovina	Sheep's Burr	Erect rosette with hairy stems, growing 10-50 cm high.Understorey planting.	Herbs/Lilies	
Actites megalocarpus	Dune Thistle	Clumping perennial herb with prickly toothed leaves and yellow daisy flowerheads.	Herbs/Lilies	
Adiantum aethiopicum	Common Maidenhair	Tufted perennial herb spreading from slender, scale-covered branching stems which creep both above and below ground to form a spreading groundcover.	Fern	
Adriana quadripartita	Coast Bitter-bush	Spreading shrub with glossy or downy leaves and male and female flowers on separate plants.	Low Shrub (<2m)	
Alisma plantago-aquatica	Water Plantain	Erect perennial herb dying back to rootstock in winter. Large rounded to heart-shaped leaves. Pink flowers on long stems.	Aquatic/Wetland	
Allocasuarina littoralis	Black Sheoak	Ornamental foliage and bark. Male and female flowers on separate plants.	10m)	
Allocasuarina paludosa	Scrub or Swamp Sheoak	Compact habit. Grey-green branchlets. Frost tolerant. Bird attracting.	Low Shrub (<2m)	
Allocasuarina paradoxa	Green Sheoak	Open to dense shrub with smooth bark and spikes of reddish-brown male flowers.	Low Shrub (<2m)	
Allocasuarina verticillata	Drooping or Coast Sheoak	Ornamental weeping foliage. Male and female flowers on separate plants.	Small to Medium Tree (5-10m)	
Alyxia buxifolia	Sea Box	Slow-growing shrub with leathery, glossy, dark green leaves and scented white flowers with an orange tube.	Low Shrub (<2m)	
Arthropodium strictum	Chocolate Lily	Lily with violet, slightly chocolate-scented flowers on long stalks, spring. Plant in drifts for best effect.	Herbs/Lilies Wildflowers	Decistant 9 Detendent
Atriplex cinerea Austrostipa flavescens	Coast Saltbush Coast Spear-grass	Attractive silver-grey foliage. Drought and salt tolerant. Fire retardant. Perennial grass that grows as tufts with smooth stems and is a useful soil	Low Shrub (<2m)	Resistant & Retardant
Austrostipa mollis	Soft Spear-grass	binder for sandy soil. Tall clumping grass, with velvety leaves. A graceful accent plant in the	Grasses/Sedges/Rushes	
Austrostipa rudis	Veined Spear-grass	garden. Hard prune after flowering. Tuifted, with structure reaching to 1.3m high. Grows in moist soils & will	Grasses/Sedges/Rushes	
Austrostipa stipoides		tolerate dry. Attractiveplant for birds & butterflies. Rounded, rush-like tussock with prickly leaves. Excellent accent plant.	Grasses/Sedges/Rushes	
	Coast Spear-grass			
Baloskion tetraphyllum	Tassel Cord-rush	Ornamental, bright green, tall feathery tussock. Ideal in or around ponds. Non-invasive.	Grasses/Sedges/Rushes Aquatic/Wetland	
Banksia integrifolia	Coast Banksia	Ornamental shade tree and windbreak. Yellow flower spikes all year.	Tree (10m+)	Retardant
Banksia marginata Banksia spinulosa	Silver Banksia Hairpin Banksia	Yellow flower spikes, autumn. Good screen. Dense erect to spreading shrub with narrow toothed leaves and large,	Tall Shrub (2-5m+) Tall Shrub (2-5m+)	Retardant
Billardiera mutabilis	Common apple-berry	golden flowerheads with black styles. Twining climber with brown stems remaining in lower shrub level. Great	Creeper/Vine	
Blechnum nudum	Fishbone Water-fern	climber for growing under trees. Densely tufted perennial fern with erect fronds, on thick erect rhizome (rooting stem), sometimes forming a short trunk. Forms large colonies. Sterile and fertile fronds dissimilar. New growth yellowish.	Fern	
Bossiaea cinerea	Showy Bossiaea	Showy yellow and red pea flowers, spring. Tolerates coastal exposure.	Low Shrub (<2m)	
Bulbine bulbosa	Bulbine Lily	Densely tufted lily with yellow, star-like flowers clustered on leafless stems.	Herbs/Lilies	
Bursaria spinosa	Sweet Bursaria	Scented, creamy-white flowers, summer. Spiny branches when young.	Tall Shrub (2-5m+)	Retardant
Calochlaena dubia	Common Ground- fern, False Bracken	Single upright fronds 2-8cm apart spreading along branched underground stems to form dense colonies. New growth bright green, covered in clear to pale hairs.	Fern	
Carex appressa	Tall Sedge	Robust tussock sedge. Butterfly attracting. Used for erosion control. Good in or around ponds. Provides habitat.	Grasses/Sedges/Rushes Aquatic/Wetland	
Carex fascicularis	Tassel Sedge	Tufted, bright green, leafy sedge with attractive, drooping golden spikes.	Grasses/Sedges/Rushes Aquatic/Wetland	
Carex inversa	Knob Sedge	Tufted sedge up to 60cm across with short creeping rhizome and flowering stems followed by clustered seed heads slightly longer than the leaves. Tolerants wet or dry conditions.	Grasses/Sedges/Rushes	
Carpobrotus rossii	Pigface	Spreading succulent perennial. Large purple flowers open on sunny days. Good soil binder.	Creeper/Vine	Resistant & Retardant

Cassinia aculeata	Dogwood/Common	Fast-growing. Crowded, domed flowerheads, summer. Aromatic leaves.	Tall Shrub (2-5m+)	
Centella cordifolia	Cassinia Swamp Pennywort	Quick screen. Understorey planting. Matting herb. Scalloped leaves. Moist to wet soils. Grows well around	Creeper/Vine	
Chrysocephalum apiculatum	Common Everlasting	pools. Spreading herb with grey foliage. Yellow flower buttons, spring. Prune to	Aquatic/Wetland Herbs/Lilies	
Chrysocephalum baxteri	Fringed Everlasting	encourage new growth. The flower heads occur singly at the ends of the stems with yellow centres	Wildflowers Herbs/Lilies	
Omysocephalam baxtem	Tilliged Everlasting	surrounded by white bracts. Leaves are linear, silvery-green with woolly	Wildflowers	
Clematis aristata	Mountain Clematis	hairs giving a silvery appearance on the undersurface. Vigorous vine with creamy star flowers, spring. Attractive feathery seed	Creeper/Vine	
Clematis microphylla	Small Leaf Clematis	heads persist. Variable trailer or climber. Star flowers, summer. Attractive feathery seed	Creeper/Vine	
		heads persist.	·	
Coprosma quadrifida Coronidium scorpioides	Prickly Currant-bush Button Everlasting	Spiny shrub. Edible red berries. Good refuge for small birds. Perennial herb with greyish foliage, spreading to form a mat. Yellow	Tall Shrub (2-5m+) Herbs/Lilies	
Correa alba	White Correa	everlasting flowers, spring. Adaptable spreading shrub, tolerates wind and spray. White star flowers,	Wildflowers Low Shrub (<2m)	Retardant
Crassula helmsii		spring-summer. Prostrate spreading herb, rooting at nodes. Excellent beside ponds.	Herbs/Lilies	rotardam
	Swamp Crassula		Aquatic/Wetland	
Cyathea australis	Rough Tree-fern	Grows up to 12 meters tall with fronds up to 4 meters wide.	Fern	
Cycnogeton procerum	Water Ribbons	Robust amphibious perennial. Erect or floating strappy leaves. Water to 2m deep.	Herbs/Lilies Aquatic/Wetland	
Cynoglossum australe	Austral Hound's- Tongue	Perennial herb with tiny blue flowers, spring-summer. Seeds sticky.	Herbs/Lilies	
Daviesia latifolia	Hop Bitter-pea	Spreading shrub. Leathery grey-green leaves. Orange-yellow and maroon pea flowers. Tolerates coastal exposure & light frosts.	Low Shrub (<2m)	
Dianella brevicaulis	Coast Flax-lily	Attractive, long-lived perennial lily. Blue flowers and berries. Flower stems	Herbs/Lilies	Retardant
Dianella revoluta	Black Anther Flax-lily	shorter than foliage. Attractive, long-lived perennial lily. Blue flowers and berries. Flower stems	Herbs/Lilies	Retardant
Dianella tasmanica	Tasman Flax-lily	longer than foliage. Robust, attractive, long-lived, spreading perennial lily. Tolerant of most	Herbs/Lilies	Retardant
		conditions once established.		ı vetai valit
Dichelachne crinita	Plume grass	Tufted ornamental perennial grass. Seeds may irritate skin	Grasses/Sedges/Rushes	
Dichondra repens	Kidney Weed	Prostrate spreading herb, rooting at nodes. Kidney-shaped leaves. Alternative to lawn in light traffic areas.	Creeper/Vine	
Diplarrena moraea	Butterfly Flag	Dense tussock-forming iris. White scented flowers. Good accent plant.	Herbs/Lilies	
Disphyma crassifolium	Rounded Noon-flower	Spreading ground cover. Magenta daisy-like flowers, spring-summer. Salt	Wildflowers Creeper/Vine	Resistant
Eleocharis acuta	Common Spike-rush	tolerant. Semi-aquatic herb with erect flowering stems. Terrific habitat plant for	Wildflowers Grasses/Sedges/Rushes	
	·	waterbirds, frogs and fish. Tall tree to 45m high, flowering Jan-Feb. Forest tree species, with bark	Aquatic/Wetland	
Eucalyptus globulus ssp. bicostata		that is smooth & sheds in long ribbons.	Tree (10m+)	
Eucalyptus kitsoniana	Gippsland Mallee or Bog Gum	Gum-barked tree. Attractive mallee form.	Small to Medium Tree (5-10m)	
Fugalyntus obligua		Dance concey with strings bark. Cood for bancs and bardwood	Tree (10m+)	
Eucalyptus obliqua	Messmate	Dense canopy with stringy bark. Good for honey and hardwood.		
Eucalyptus obliqua Eucalyptus ovata	Swamp Gum	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for	Tree (10m+)	
	Swamp Gum Snow Gum (Powlett	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with	<u> </u>	
Eucalyptus ovata	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas.	Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter.	Tree (10m+) Tree (10m+) Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds.	Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks.	Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak.	Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp.	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species.Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and	Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and	Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder.	Tree (10m+)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit.	Tree (10m+) Small to Medium Tree (5-10m)	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist	Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge Coast Saw-sedge Climbing Glycine	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge Coast Saw-sedge Climbing Glycine Swamp Goodenia	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland	
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis Goodenia ovata Goodenia ovata (prostrate)	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Coast Saw-sedge Climbing Glycine Swamp Goodenia Hop Goodenia Hop Goodenia (prostrate)	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey plant. Local prostrate form. Excellent ground cover. Butterfly attracting.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland Low Shrub (<2m)	Resistant
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis Goodenia ovata Goodenia ovata Goodenia radicans	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge Coast Saw-sedge Climbing Glycine Swamp Goodenia Hop Goodenia (prostrate) Shiny Swamp-mat	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey plant. Local prostrate form. Excellent ground cover. Butterfly attracting. Tolerates boggy soils. Prostrate creeping herb with white to mauve fan-shaped flowers. Attractive around ponds. Tolerates wet & dry periods.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland Low Shrub (<2m) Herbs/Lilies	Resistant
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis Goodenia ovata Goodenia ovata (prostrate)	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Coast Saw-sedge Climbing Glycine Swamp Goodenia Hop Goodenia Hop Goodenia (prostrate)	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey plant. Local prostrate form. Excellent ground cover. Butterfly attracting. Tolerates boggy soils.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland Low Shrub (<2m)	Resistant
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis Goodenia ovata Goodenia ovata Goodenia radicans	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Red-fruit Saw-sedge Coast Saw-sedge Climbing Glycine Swamp Goodenia Hop Goodenia (prostrate) Shiny Swamp-mat	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey plant. Local prostrate form. Excellent ground cover. Butterfly attracting. Tolerates boggy soils. Prostrate creeping herb with white to mauve fan-shaped flowers. Attractive around ponds. Tolerates wet & dry periods. Fast-growing. Profuse yellow and red pea flowers, spring. Prune after flowering. Sprawling spreading herb. Moist or wet soils but tolerates areas that dry	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland Low Shrub (<2m) Herbs/Lilies Tall Shrub (2-5m+) Herbs/Lilies	Resistant
Eucalyptus ovata Eucalyptus pauciflora Eucalyptus radiata Eucalyptus regnans Eucalyptus strzeleckii Eucalyptus viminalis ssp. pryoriana Eucalyptus viminalis ssp. viminalis Eucalyptus willisii Ficinia nodosa Gahnia filum Gahnia sieberiana Gahnia trifida Glycine clandestina Goodenia humilis Goodenia ovata Goodenia ovata (prostrate) Goodenia radicans Goodia lotifolia	Swamp Gum Snow Gum (Powlett River Form) Narrow-leaf Peppermint Mountain Ash Strzeleckii Gum Coastal Manna Gum Manna Gum South Gippsland Peppermint Nobby Club-sedge Chaffy Saw-sedge Chaffy Saw-sedge Climbing Glycine Swamp Goodenia Hop Goodenia Hop Goodenia (prostrate) Shiny Swamp-mat Golden Tip	Bark mostly smooth. Leaves eaten by koalas. Good shade tree for swampy areas. Attractive white to cream trunk. Provides honey, fuel and assists with erosion control. Low branching tree with dense canopy. Good shade and shelter. Fast-growing tall tree with rough bark up to 15m, then smooth. Profuse white flowers and club-shaped buds. Critically endangered species. Tall tree good for revegetation projects on fertile soil on ridges, slopes & stream banks. Well-branched tree with dense canopy. Good shade, shelter and windbreak. Fast-growing, adaptable, tall tree with smooth bark, rough at base only. Koala food tree. Small tree with rough bark, to 10 m., often mallee form. Fine leaves and attractive white flowers. Vulnerable in Victoria. Tufted perennial sedge to 1m high. Globular flower heads. Soil binder. Accent plant. Perennial leafy tussock with narrow brown flowerhead and attractive fruit. Moist saline or brackish soil. Tussock sedge 2-3m tall. Shining red nuts after flowering. Prefers moist soil but will tolerate dryness. Butterfly food plant. Upright clumping sedge with clustered flowerhead. Moist well-drained sandy soil. Open twining plant, usually only noticed when flowering. Sprays of mauve pea flowers, spring. Spreading herb. Yellow flowers, summer. Moist to wet soil. Ideal for planting around pools. Light green foliage. Yellow flowers, spring-summer. Good understorey plant. Local prostrate form. Excellent ground cover. Butterfly attracting. Tolerates boggy soils. Prostrate creeping herb with white to mauve fan-shaped flowers. Attractive around ponds. Tolerates wet & dry periods. Fast-growing. Profuse yellow and red pea flowers, spring. Prune after flowering.	Tree (10m+) Small to Medium Tree (5-10m) Grasses/Sedges/Rushes Grasses/Sedges/Rushes Grasses/Sedges/Rushes Creeper/Vine Herbs/Lilies Aquatic/Wetland Low Shrub (<2m) Herbs/Lilies Tall Shrub (2-5m+)	Resistant

	, 	carpets the ground and has mauve flowers over a long period in spring. Quite drought tolerant once established.	•	
Mazus pumilio	Swamp Mazus	brown. Plant beside water areas & in bog gardens. Swamp Mazus. Suckering perennial herb for open damp areas which	Aquatic/Wetland Aquatic/Wetland	
Machaerina tetragona	Square Twig-sedge	Clumping perennial sedge that is Rush-like. Flower color is dark red-	Aquatic/Wetland Grasses/Sedges/Rushes	
Machaerina juncea	Soft Twig-sedge	Spreading sedge to 1m tall. Butterfly attracting. Good in or around ponds.	Aquatic/Wetland Grasses/Sedges/Rushes	
Machaerina juncea	Bare Twig-sedge	for waterbirds. (In 15cm pots) Spreading sedge to 1m tall. Butterfly attracting. Good in or around ponds.	Aquatic/Wetland Grasses/Sedges/Rushes	
Machaerina articulata	Jointed Twig-sedge	attracting. Perennial sedge with drooping panicle. Suitable beside ponds as habitat	Aquatic/Wetland Grasses/Sedges/Rushes	
Machaerina acuta	Pale Twig-sedge	winter. Excellent for bog garden or beside pools. Slender tuft. Dense, oblong flowerhead. Ideal for bog garden. Buttery	Aquatic/Wetland Grasses/Sedges/Rushes	
Lythrum salicaria	Purple Loosestrife	Soil. Large purple flower spikes, spring-summer. Dies back to root stock over	Wildflowers Herbs/Lilies	
Lotus australis	rush Austral Trefoil	Erect perennial herb to 60cm. Flowers are usually white to shell-pink and can flower all year round but mostly in Spring. Part to full sun with moist	Herbs/Lilies Low Shrub (<2m)	
Lomandra longifolia ssp. longifolia	Spiny-headed Mat-	feature plant for landscaping. Dense tussock to 1m. Grows well under established trees. Accent plant.	Grasses/Sedges/Rushes	Resistant & Retardant
Lomandra longifolia ssp. exilis	Mat-rush	Cluster- headed Mat-rush. Attractive tussock which can reach up to 1 metre in diameter with narrow green strap leaves to 4mm across . A great	Grasses/Sedges/Rushes	Resistant & Retardant
Lobelia anceps	Angled Lobelia	Matting ground cover. Small fan-shaped pale blue flowers, most of year. Seasonally moist soils,	Creeper/Vine	
Liparophyllum exaltatum	Erect (Yellow) Marsh Flower	Perennial aquatic herb with a few stems. Yellow flowers with leaves that arise from the base.	Herbs/Lilies Aquatic/Wetland	
		after flowering to root stock. Blue sky flowers in Spring and Summer. Mass plant.	Wildflowers	
Linum marginale	Native Flax	perennial herb with slender upright stems to 10 - 60 cm high. Dies back	Herbs/Lilies	
	Coast Beard-heath	summer. Variable form, Scented, crowded white flowers, spring. Salt tolerant	Tall Shrub (2-5m+)	
Leucophyta brownii	Cushion Bush	female flowers either seperately on the same plant or on separate plants. Low rounded shrub with silver foliage. Yellow button flowers, spring-	Aquatic/Wetland Low Shrub (<2m)	
Leptospermum myrsinoides Lepyrodia muelleri	Heath Teatree Common scale-rush	Compact. White or pale pink flowers, spring. Good understorey plant. Erect perennial herb that likes wet peaty vegetation.lt has both male &	Low Shrub (<2m) Herbs/Lilies	
Leptospermum murainaidas	Woolly Teatree	Young growth silver and hairy. Masses of white flowers, spring. Moist soils.	Tall Shrub (2-5m+)	
Leptospermum laevigatum	Coast Teatree	Attractive white flowers, spring. Front-line coastal planting only. Weedy in other areas		
Leptospermum continentale (prostrate)	Prickly Teatree (prostate)	Local prostrate form. Excellent low ground cover. Butterfly attracting. Tolerates boggy soils.	Low Shrub (<2m)	
Leptospermum continentale	Prickly Teatree	Prickly foliage. Masses of white flowers, spring. Good understorey plant. Bird and butterfly attracting.	Low Shrub (<2m)	
Lepidosperma gladiatum	Coast Sword-sedge	Robust sedge to 1m high with large dense flowerhead. Good sandy soil stabiliser. Bird attracting	Grasses/Sedges/Rushes	
form)		tolerant.	·	
Kennedia prostrata (pink & white	Running Postman Running Postman	Matting ground cover. Rea pea nowers, spring-summer. Drought tolerant. Matting ground cover. Pink to white flowers, spring-summer. Drought	Wildflowers Creeper/Vine	
Kennedia prostrata	Running Postman	or seasonally dry soils. Matting ground cover. Red pea flowers, spring-summer. Drought tolerant.	Aquatic/Wetland Creeper/Vine	
Juncus subsecundus	Finger Rush	landscape. Tufted perennial rush. Bird, lizard and frog habitat. Good in wet landscape. Tufted perennial rush. Bird, lizard and frog habitat. Good in wet landscape	Aquatic/Wetland	
Juncus sarophorus	Broom Rush	seasonal water bodies. Tufted perennial rush. Bird, lizard and frog habitat. Good in wet	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus procerus	Tall Rush	in wet landscape. Dense tufted perennial robust rush. Plant at the edge of permanent or	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus pallidus	Pale Rush	conditions	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus kraussii	Sea Rush	landscape. Stout perennial rush with spreading red-brown panicle. Saline or brackish	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus holoschoenus	Jointed Rush	landscape. Clumping perennial rush. Bird, lizard and frog habitat. Good in wet	Grasses/Sedges/Rushes	
Juncus australis	Austral Rush	landscape. Tufted perennial rush. Bird, lizard and frog habitat. Good in wet	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus amabilis	Hollow Rush	approximately 300 species. If you select Juncus from the standard order form, our team will select the species. Tufted perennial rush. Bird, lizard and frog habitat. Good in wet	Aquatic/Wetland Grasses/Sedges/Rushes	
Juncus ssp.	Rushes	vigour. Butterfly attracting. Juncus are flowering plants commonly known as rushes. There are	Grasses/Sedges/Rushes	
Indigofera australis	Austral Indigo	Good habitat for small animals. Showy purple pea flowers, spring. Prune after flowering to maintain	Low Shrub (<2m)	
Imperata cylindrica	Blady Grass	Erect. spreading perennial grass with dense, fluffy, cylindrical flowerhead.	Grasses/Sedges/Rushes	
Hookerochloa hookeriana	Hooker's Fescue	branched underground stems to form large colonies. Rough, flat, broad bright green leaves, finely ridged. Sheaths are brown and the flowers are green or purplish.Likes moist slightly swampy soils.	Grasses/Sedges/Rushes	
Histiopteris incisa	Bat's-wing Fern	soil. Single upright fronds that are distantly spaced. They have spreading	Fern	
Hedycarya angustifolia	Austral Mulberry	habitat. Large shrub or small tree to 7m tall. Glossy dark green leaves. Rich, moist	Tall Shrub (2-5m+)	
Hakea ulicina	Furze Hakea	Upright shrub with twisted foliage. White flowers, spring. Good bird	Tall Shrub (2-5m+)	
Hakea teretifolia	Dagger Hakea	Dense spreading shrub with sharp needle-like leaves. Hairy white flowers. Bird and butterfly attracting.	Tall Shrub (2-5m+)	
Hakea nodosa	Yellow Hakea	Dense to open habit. Fragrant yellow flowers, winter-spring. Good low screen.	Low Shrub (<2m)	

Malalausa aviaife!!-	Curaman Dour	Manage of annual flavours against Harful in continuous and a second N	Consilite Madison Torre (5	
Melaleuca ericifolia	Swamp Paperbark	Masses of cream flowers, spring. Useful in wet garden areas. Very adaptable. Responds well to pruning.	Small to Medium Tree (5-10m)	
Melaleuca squarrosa	Scented Paperbark	Profuse scented cream flowers, spring-summer. Moist to wet soils. Responds well to pruning.	Small to Medium Tree (5-10m)	
Melicytus dentatus	Tree Violet	Masses of tiny cream bell flowers, spring-summer. Well-drained moist soils	Tall Shrub (2-5m+)	
Microlaena stipoides	Weeping Grass	Variable perennial grass with graceful arching stems. Good lawn grass for	Grasses/Sedges/Rushes	
Microseris scapigera	Yam daisy, Murnong	shady sites. Tufted perennial herb and has a single yellow flowerhead that attracts	Herbs/Lilies	
Montia australasica	White Purslane	butterflies. Erect bright green narrow leaves. Long-stalked small white flowers, spring	Wildflowers Herbs/Lilies	Resistant
Myoporum insulare	Boobialla	summer. Ponds & wetlands Rounded habit with succulent leaves. White flowers, spring. Fire	Tall Shrub (2-5m+)	Resistant & Retardant
Myriophyllum crispatum	Milfoil	retardant. Good screen or windbreak. Perennial spreading herb. Foliage feathery. Good habitat in pools.	Herbs/Lilies	
Myrsine howittiana	Muttonwood	Tall shrub or small tree with glossy dark green leaves and cream flowers	Aquatic/Wetland Tall Shrub (2-5m+)	
		on old wood. Fruit attractive fleshy blue to violet drupes.		
Olearia argophylla	Musk Daisy-bush	Up to 10m tall. Shiny dark green leaves, silvery below. Crowded terminal clusters of white daisy flowers	Tall Shrub (2-5m+)	
Olearia axillaris	Coast Daisy-bush	Cottony-grey bush with tiny yellow flowers, summer-autumn. Soil binder. May be hedged.	Low Shrub (<2m)	
Olearia glutinosa	Sticky Daisy-bush	Showy white to mauve flowers, summer. Sticky foliage. Drought tolerant.	Low Shrub (<2m)	
Olearia lirata	Snowy Daisy-bush	Soft open shrub. Masses of white flowers, spring. Moist well-drained soil.	Tall Shrub (2-5m+)	
Olearia phlogopappa	Dusty Daisy-bush	Masses of white flowers, summer. Prune to encourage flowering.	Low Shrub (<2m)	
Olearia ramulosa	Twiggy Daisy-bush	Sprawling shrub with tiny white flowers, spring-summer. Good understorey plant or low screen if pruned.	Low Shrub (<2m)	
Ornduffia reniformis	Running Marsh-flower	Tufted stoloniferous herb. Kidney-shaped leaves. Yellow flowers, spring- summer. Attractive in and around ponds.	Herbs/Lilies Aquatic/Wetland	
Ozothamnus ferrugineus	Tree Everlasting	Open shrub with narrow shining leaves. White flowers in terminal clusters. Fast-growing. Moist, well-drained soil. Good background plant.		
Ozothamnus turbinatus	Coast Everlasting	Stiff, narrow leaves. Cream flower clusters, autumn. Coastal soil binder.	Low Shrub (<2m)	
Pandorea pandorana	Wonga Wonga Vine	Prune after flowering. Vigorous climber. Showy, creamy-white tubular flowers with maroon	Creeper/Vine	
Patersonia fragilis	Short Purple-flag	markings, spring. Tussock-forming perennial iris. Fine blue-green leaves. Purple flowers	Herbs/Lilies	
Patersonia occidentalis	Long Purple-flag	held within the foliage, spring-summer. Clumping perennial iris. Purple flowers, spring-summer. Suitable for bog	Wildflowers Herbs/Lilies	
Pauridia vaginata	Yellow Star	gardens but also tolerates dry conditions. Tufted perennial herb with corm less than 2cm long. Hairless. Grows well	Wildflowers Herbs/Lilies	
Pelargonium australe	Austral Stork's-bill	amoungst grasses, great for rockeries and containers. Soft foliage. Pink flowers with darker markings, spring-summer. Drought	Herbs/Lilies	
Persicaria decipiens	Slender Knotweed	tolerant. Perennial herb, leaves stems sometimes red. Bright pink flowers on	Wildflowers Aquatic/Wetland	
Philydrum lanuginosum	Woolly Frogsmouth	spikes. Seeds provide food for waterbirds. Suitable for planting around ponds, dams and on creek banks. They will	Aquatic/Wetland	
, ,	, ,	tolerate periodic inundation and can be used as for stabilising soil.	·	
Phragmites australis	Common Reed	Fast-growing reed. Fluffy flower spikes. Provides food and nesting for waterbirds. Keep contained.	Grasses/Sedges/Rushes Aquatic/Wetland	
Pimelea humilis	Small Rice-flower	Perennial sub-shrub with grey-green leaves. Fragrant Creamy-white flowerheads. Butterfly attracting.	Low Shrub (<2m)	
Poa clelandii	Matted Tussock-	Matted perennial tussock-grass. Spikelets are usually purplish, greenish or	Grasses/Sedges/Rushes	
Poa labillardierei	grass Common Tussock-	straw colored flowering September - January. Large dense tussock. Flowering stems exceed leaves. Landscape accent	Grasses/Sedges/Rushes	
Poa morrisii	grass Velvet Tussel-grass	plant. Bird and butterfly attracting. A very attractive grass for landscaping larger areas or borders. Spikelet	Grasses/Sedges/Rushes	
	· ·	flowers are green or purplish.Usually associated with dryer grassy woodlands/rocky soils.	· ·	
Poa poiformis	Coastal Tussock- grass	Large dense tussock. Flowering stems equal to leaves. Bird and butterfly attracting. Salt spray tolerant.	Grasses/Sedges/Rushes	
Poa tenera	Slender Tussock-	A trailing perennial that sometimes forms tussocks. Spikelets are green and rarely purplish. Flowers between October - January.	Grasses/Sedges/Rushes	
Polystichum proliferum	grass Mother Shield-fern	Erect tufted perennial fern on a thick underground stem (rhizome), sometimes forming a short trunk. New growth bright green, erect, older	Grasses/Sedges/Rushes	
Pomaderris aspera	Hazel Pomaderris	fronds arching, producing new bulbils on ends Slender, leafy shrub. Cream flowers in terminal sprays, spring. Likes moist, rich soil. Interesting bark as plant ages.	Tall Shrub (2-5m+)	
Pomaderris elliptica var. elliptica	Smooth Pomaderris	Trolls on: Interesting bank as plant ages. Tall erect or rounded shrub with densely creamy hairy branchlets. Yellow flowers	Tall Shrub (2-5m+)	
Pomaderris paniculosa ssp.	Coast Pomaderris	Compact shrub with glossy leaves. Small cream flowers, spring. Coastal	Low Shrub (<2m)	
paralia Prostanthera lasianthos	Victorian Christmas	shrub with reddish new growth. Compact tall shrub with spectacular scented white flowers, spotted with	Tall Shrub (2-5m+)	
Pultenaea daphnoides	Bush Large-leaf Bush-pea	orange and purple, over the summer months. Fast-growing. Showy egg and bacon pea flowers, spring. Drought tolerant.	Low Shrub (<2m)	
Pultenaea stricta	Rigid Bush-pea	Slender upright shrub to 1m with clusters of yellow and red pea flowers,	Low Shrub (<2m)	
Pultenaea tenuifolia	Slender Bush-pea	Prostrate matting shrub with tiny yellow pea flowers	Low Shrub (<2m)	
Ranunculus inundatus	River Buttercup	Vigorous perennial herb. Finely divided leaves. Glossy yellow flowers,	Wildflowers Herbs/Lilies	
Ranunculus lappaceus	Australian Buttercup	spring-summer. Good in or beside ponds. Perennial herb with basal rosette of foliage with spikes of glossy yellow flowers primarily from August to November.	Aquatic/Wetland Herbs/Lilies Wildflowers	
Rhagodia candolleana	Seaberry Saltbush	Succulent foliage. Flowers spring, followed by red berries, autumn. Used as a screen or hedge. Soil stabiliser.	Low Shrub (<2m)	Resistant & Retardant
		as a solution mage. Our stabiliser.		

Rubus parvifolius	Native Raspberry	Scrambling small shrub with branches covered in thorns. Deep pink	Creeper/Vine	
D. tid	IZ	flowers followed by edible red berris. Bird attracting.	O	
Rytidosperma geniculatum	Kneed Wallaby-grass	Perennial grass to 40cm tall. Small, fluffy flowerhead. Bird and butterfly attracting. Beautiful grass for gardens.	Grasses/Sedges/Rushes	
Rytidosperma setaceum	Bristly Wallaby-grass	Perennial grass to 70 cm tall. Small, fluffy flowerhead. Bird and butterfly	Grasses/Sedges/Rushes	
Rylluosperma selaceum	Bristiy Wallaby-grass	attracting. Can be used as a native lawn.	Grasses/Seuges/Rusiles	
Schoenoplectus tabernaemontani	River Club Rush	Robust perennial sedge. Flowering panicle, summer. Wet soil or shallow	Grasses/Sedges/Rushes	
•		water. Waterbird habitat.	Aquatic/Wetland	
Schoenus apogon	Common Bog-rush	Small tufted annual herb with fine leaves and tiny blackish flower spikelets.	Grasses/Sedges/Rushes	
	_		Aguatic/Wetland	
Schoenus brevifolius	Zig-zag Bog-rush	Stiffly erect nodeless stems to 90cm. Narrow erect red-brown spikelets.	Grasses/Sedges/Rushes	
		, i	Aquatic/Wetland	
Senecio pinnatifolius	Variable Groundsel	Variable succulent foliage. Yellow daisy flowers, spring-summer. Butterfly	Herbs/Lilies	
		attracting.	Wildflowers	
Solanum aviculare	Kangaroo Apple	Soft woody shrub. Large divided leaves. Purple flowers, spring-summer.	Tall Shrub (2-5m+)	Retardant
		Orange to scarlet fruit. Heavy prune to rejuvenate.	, ,	
Spinifex sericeus	Hairy Spinifex	Creeping perennial grass with hairy, silvery foliage and female	Grasses/Sedges/Rushes	
,	, '	tumbleweed flowers. Frontline coastal.	ů .	
Stackhousia monogyna	Creamy Candles	Glabrous perennial with one to many erect stems that carry showy,	Herbs/Lilies	
	,	terminal spikes of white or creamy flowers from September to February.	Wildflowers	
		Common heathland plant.	· · · · · · · · · · · · · · · · · · ·	
Stylidium armeria	Thrift-leaved	Pink flower spikes, spring-summer. Plant in drifts for best effect. Drought	Herbs/Lilies	
Gtynaiairi arriicha	Triggerplant	tolerant once established.	Wildflowers	
Swainsona lessertiifolia	Coast Swainson-pea	Sprawling perennial herb. Sprays of purple pea-flowers, spring. Cut back	Herbs/Lilies	
Swall isona lesser tillolla	Coast Swallison-pea	in winter to encourage flowering.	i lei ba/ Lillea	
Tetragonia implexicoma	Bower spinach	Succulent, scrambling perennial subshrub. Yellow flowers, spring-summer.	Creener/Vine	Resistant & Retardant
Tetragonia impresiconia	bower spirideri	Sand stabiliser.	Orcepen vine	resistant a retardant
Thelionema caespitosum	Tufted Blue Lily	Tufted perennial herb, leaves in 2 opposite rows. Delightful for cottage	Herbs/Lilies	
,	,	garden and rockeries etc.		
Themeda triandra	Kangaroo Grass	Sprawling perennial tussock. Leaves bluish-green. Attractive golden-	Grasses/Sedges/Rushes	
	•	brown flowerheads, spring-summer. Attractive used in landscaping or	ů .	
		mass planted.		
Thyridia repens	Creeping Monkey-	Marsh plant with violet flowers with a yellow & white centre which will	Aquatic/Wetland	
ya.a ropone	flower	tolerate inundation & saline conditions. Attractive on pond edge.	, 1944415, 77 544114	
Triglochin striata	Streaked Arrowgrass	Slender spreading perennial herb. Tiny flowers on spikes, spring-summer.	Herhs/Lilies	
rrigiooriiir otriata	Otroditod / trowgrado	Wet soil or shallow water.	Aguatic/Wetland	
Viminaria juncea	Golden Spray	Attractive weeping needle-like foliage. Sprays of yellow pea flowers,	Tall Shrub (2-5m+)	Retardant
VIIIIIIalia jalleea	Colden Opray	summer. Good beside ponds. Tolerates poorly-drained soils.	raii Olliub (2-0111-)	retardant
Viola hederacea	Native Violet	Spreading perennial herb. Dark green leaves. Single violet flowers. Hardy	Herbs/Lilies	Retardant
viola rieueracea	Native violet	once established.	Wildflowers	Retaidant
Wahlenbergia gymnoclada	Naked Bluebell	Erect perennial herb spreading by underground stems (rhizomes). Stems	Herbs/Lilies	
vvamenbergia gyriinociada	ivakeu Diuebeli		Wildflowers	
Xanthorrhoea australis	Atu-1 O tu	single, occasionally branched. Stout perennial with thick, often branched, woody trunk, generally black as		
Adminiorridea australis	Austral Grass-tree	a result of fire	Grasses/Seuges/Rusnes	
Xanthorrhoea minor	Small Grass-tree	Stout perennial with underground woody trunk, branched underground.	Grasses/Sedges/Rushes	
Zaminominoea minor	Omaii Orass-tree	Clour perentinal with underground woody trunk, branched underground.	Orasses/Ocuyes/Musiles	
Zoysia macrantha	Prickly couch	Perennial grass. Tolerates saline conditions. An effective native lawn that	Grasses/Sedges/Rushes	
•	•	does not need mowing.	5	

Note: Coloured background indicates plant type is only available via a Special Order. If you are interested in ordering these species, please email orders@wsbn.org.au